

```
irasnyd@duallie irasnyd $ mysql -u root -p cs435
```

```
Enter password:
```

```
Reading table information for completion of table and column names
```

```
You can turn off this feature to get a quicker startup with -A
```

```
Welcome to the MySQL monitor.  Commands end with ; or \g.
```

```
Your MySQL connection id is 8 to server version: 4.1.8
```

```
Type 'help;' or '\h' for help. Type '\c' to clear the buffer.
```

```
mysql> select * from members;
```

name	address	balance
Brooks, B.	7 Apple Rd.	10.50
Field, W.	43 Cherry La.	0.00
Robin, R.	12 Heather St.	-123.45
Hart, W.	65 Lark Rd.	-43.00

```
4 rows in set (0.02 sec)
```

```
mysql> select * from orders;
```

order_no	name	item	quantity
1	Brooks, B.	Granola	5
2	Brooks, B.	Unbleached Flour	10
3	Robin, R.	Granola	3
4	Hart, W.	Whey	5
5	Robin, R.	Sunflower Seeds	2
6	Robin, R.	Lettuce	8

```
6 rows in set (0.00 sec)
```

```
mysql> select * from suppliers;
```

sname	saddress	item	price
Sunshine Produce	16 River St.	Granola	1.29
Sunshine Produce	16 River St.	Lettuce	0.89
Sunshine Produce	16 River St.	Sunflower Seeds	1.09
Purity Foodstuffs	180 Industrial Rd.	Whey	0.70
Purity Foodstuffs	180 Industrial Rd.	Curds	0.80
Purity Foodstuffs	180 Industrial Rd.	Granola	1.25
Purity Foodstuffs	180 Industrial Rd.	Unbleached Flour	0.65
Tasti Supply Co.	17 River St.	Lettuce	0.79
Tasti Supply Co.	17 River St.	Whey	0.79
Tasti Supply Co.	17 River St.	Sunflower Seeds	1.19

```
10 rows in set (0.00 sec)
```

```
mysql> SELECT name FROM members
```

```
-> WHERE name NOT IN
```

```
-> (SELECT name FROM orders
```

```
-> WHERE item='Lettuce')
```

```
-> ;
```

name
Brooks, B.
Field, W.
Hart, W.

3 rows in set (0.00 sec)

```
mysql> SELECT name,address FROM members
-> WHERE name IN
-> (SELECT name FROM orders
-> WHERE item IN
-> (SELECT item FROM suppliers
-> WHERE sname='Sunshine Produce')
-> )
-> ;
```

```
+-----+-----+
| name      | address      |
+-----+-----+
| Brooks, B. | 7 Apple Rd.  |
| Robin, R.  | 12 Heather St. |
+-----+-----+
```

2 rows in set (0.00 sec)

```
mysql> SELECT sname,item,price FROM suppliers
-> WHERE item NOT IN
-> (SELECT item FROM orders
-> WHERE name='Brooks, B.')
-> ;
```

```
+-----+-----+-----+
| sname          | item          | price |
+-----+-----+-----+
| Sunshine Produce | Lettuce       | 0.89  |
| Sunshine Produce | Sunflower Seeds | 1.09  |
| Purity Foodstuffs | Whey          | 0.70  |
| Purity Foodstuffs | Curds         | 0.80  |
| Tasti Supply Co. | Lettuce       | 0.79  |
| Tasti Supply Co. | Whey          | 0.79  |
| Tasti Supply Co. | Sunflower Seeds | 1.19  |
+-----+-----+-----+
```

7 rows in set (0.00 sec)

```
mysql> SELECT sname FROM suppliers
-> WHERE item IN
-> (SELECT item FROM orders
-> WHERE name='Brooks, B.')
-> GROUP BY sname
-> HAVING COUNT(sname) =
-> (SELECT COUNT(DISTINCT item) FROM orders
-> WHERE name='Brooks, B.')
-> ;
```

```
+-----+
| sname          |
+-----+
```

1 row in set (0.00 sec)

```
mysql> SELECT s.sname FROM suppliers s, orders o
-> WHERE o.item=s.item
-> AND o.name='Brooks, B.'
-> GROUP BY s.sname
-> HAVING COUNT(*)=(SELECT COUNT(*) FROM orders
-> WHERE name='Brooks, B.);
```

```
+-----+
| sname          |
+-----+
```

1 row in set (0.00 sec)

1 row in set (0.03 sec)

```
mysql> SELECT DISTINCT sname FROM suppliers
-> WHERE item IN
->     (SELECT item FROM orders
->      WHERE name='Brooks, B.')
```

```
-> ;
+-----+
| sname |
+-----+
| Sunshine Produce |
| Purity Foodstuffs |
+-----+
```

2 rows in set (0.00 sec)

```
mysql> SELECT item,AVG(price) FROM suppliers
-> WHERE item IN
->     (SELECT DISTINCT item FROM suppliers)
-> GROUP BY item;
```

```
+-----+-----+
| item | AVG(price) |
+-----+-----+
| Curds | 0.800000 |
| Granola | 1.270000 |
| Lettuce | 0.840000 |
| Sunflower Seeds | 1.140000 |
| Unbleached Flour | 0.650000 |
| Whey | 0.745000 |
+-----+-----+
```

6 rows in set (0.00 sec)

```
mysql> SELECT sname,item FROM suppliers;
```

```
+-----+-----+
| sname | item |
+-----+-----+
| Sunshine Produce | Granola |
| Sunshine Produce | Lettuce |
| Sunshine Produce | Sunflower Seeds |
| Purity Foodstuffs | Whey |
| Purity Foodstuffs | Curds |
| Purity Foodstuffs | Granola |
| Purity Foodstuffs | Unbleached Flour |
| Tasti Supply Co. | Lettuce |
| Tasti Supply Co. | Whey |
| Tasti Supply Co. | Sunflower Seeds |
+-----+-----+
```

10 rows in set (0.00 sec)

```
mysql> SELECT name FROM members
-> WHERE name IN
->     (SELECT name FROM
->      (SELECT name,COUNT(name) FROM orders
->       GROUP BY name HAVING COUNT(name)>=2)
->     AS temp_tb11)
-> ;
```

```
+-----+
| name |
+-----+
| Brooks, B. |
| Robin, R. |
+-----+
```

2 rows in set (0.00 sec)

```
mysql> SELECT sname,COUNT(sname) FROM suppliers
-> GROUP BY sname;
```

```
+-----+
| sname          | COUNT(sname) |
+-----+
| Purity Foodstuffs |          4 |
| Sunshine Produce |          3 |
| Tasti Supply Co. |          3 |
+-----+
3 rows in set (0.00 sec)
```

```
mysql> SELECT sname FROM suppliers
-> WHERE item IN
->     (SELECT item FROM
->       (SELECT item,COUNT(item) FROM orders
->        GROUP BY item
->        HAVING COUNT(item)>1)
->     AS temp_tbl1)
-> ;
```

```
+-----+
| sname          |
+-----+
| Sunshine Produce |
| Purity Foodstuffs |
+-----+
2 rows in set (0.00 sec)
```

```
mysql> SELECT DISTINCT sname FROM suppliers
-> WHERE sname IN
->     (SELECT sname FROM suppliers
->      WHERE item='Lettuce')
-> AND sname IN
->     (SELECT sname FROM suppliers
->      WHERE item='Whey')
-> ;
```

```
+-----+
| sname          |
+-----+
| Tasti Supply Co. |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT DISTINCT name FROM members
-> WHERE name IN
->     (SELECT name FROM orders
->      WHERE item='Lettuce')
-> OR name IN
->     (SELECT name FROM orders
->      WHERE item='Whey')
-> ;
```

```
+-----+
| name          |
+-----+
| Hart, W.     |
| Robin, R.    |
+-----+
2 rows in set (0.00 sec)
```

```
mysql> SELECT name FROM members
-> WHERE name NOT IN
->     (SELECT name FROM orders
->      WHERE item IN
->       (SELECT DISTINCT item FROM orders
```

```
->         WHERE item<>'Whey')
->     )
-> AND name IN
->     (SELECT DISTINCT name FROM orders)
-> ;
```

```
+-----+
| name  |
+-----+
| Hart, W. |
+-----+
```

1 row in set (0.00 sec)

```
mysql> quit
Bye
```